7139729/2023/VIG-I-PRR01

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

PS – PR and RD Department – Allegations of irregularities in execution of work "Construction of CC pavement with drains and retaining wall from Harijana Veedhi to Mahendra Tanaya at Pathapatnam under MGNREGS" – Common disciplinary proceedings – Charges framed against **Sri G. Suryanarayana, Mandal Engineering Officer / Assistant Engineer, Pathapatnam, Srikakulam District (now Retired)** - Inquiry conducted – Charges are held not proved – Further action dropped – Orders – Issued.

PANCHAYAT RAJ AND RURAL DEVELOPMENT (VIG.I) DEPARTMENT

G.O.Rt.No.107 **Dated.17.03.2023.**

Read the following:

1. From the ENC,PR, Letter No. Vig. I (1)/1001/2015, dated: 04.08.2015.
2. G.O.Rt.No.460, PR&RD (Vig. I) Department, Dt: 12.05.2016.
3. G.O.Rt.No.466, PR&RD (Vig. I) Department, Dt: 12.05.2016.
4. From the ENC,PR, Letter No. Vig. I (1)/1001/2015, dated: 10.07.2018.
5. G.O.Rt.No. 419, PR&RD (Vig.I) Department, Dt.13.06.2019.
6. G.O.Rt.No. 420, PR&RD (Vig.I) Department, Dt.13.06.2019.
7. From the ENC,PR and Inquiry Officer, Letter NO. EnC (PR)/1001/Enquiry Report/2015, dated: 24.03.2021.
8. Govt. Memo No. 12564/Vig. I/2015-11, PR&RD (Vig. I) Department, Dt: 13.04.2022.
9. From the ENC,PR, Letter No. Vig. I (1)/ 1001/2015, dated: 22.06.2022.

***

ORDER:

Based on the recommendations of the Engineer-in-Chief, Panchayat Raj, A.P made in the reference 1st read above relating to certain allegation of irregularities in execution of works under MGNREGS, Government vide reference 2nd read above, have initiated common disciplinary proceedings under Rule 24 of APCS (CC&A) Rules, 1991 duly framing following article of charge against **Sri G. Suryanarayana, Mandal Engineering Officer/ Assistant Engineer, PR, Pathapatnam,** Srikakulam District under Rule 20 of above said Rules vide reference 3rd read above, with a direction to submit his written statement of defence :

Charge:-

That **Sri G. Satyanarayana, MEO**, Pathapatnam, Srikakulam District during his tenure as MEO, Pathapatnam, executed construction of CC pavement with drain and retaining wall from Harijanaveedhi to Mahendra Tanaya at Pathapatnam, under MGNREGS during 2012-13 and committed certain irregularities like (i) deficiency in height and width of retaining wall and (ii) deficit quantity in thickness of bed concrete etc. He is responsible for misappropriation of Government funds to a tune of amount of Rs.1,23,074/-.

(P.T.O)

By above mentioned act, Sri G. Suryanarayana, MEO, Pathapatnam, Srikakulam District failed to discharge his duties, lack of integrity, devotion to duty and conduct unbecoming of a Government servant & thereby contravened Rules, 3 (1) and 3 (2) of APCS (Conduct) Rules, 1964.

2. In the reference 4th read above, the ENC,PR among others, has furnished dated acknowledgment copy regarding service of charges on the charged officer on **Sri G. Suryanaryana, former MEO / AE(PR)**, Pathapatnam and working as MEO, MPP, S.Kota on 11.07.2016. But the charged officer has not submitted his written statement of defence.

3. Government after examination, have decided to conduct regular inquiry against the charged officer **Sri G. Suryanarayana, former MEO/AE (PR)** including against ten (10) other co-charged officers involved in the case. Accordingly, in the reference 5th read above, Government appointed the Engineer-in-Chief, Panchayat Raj, A.P, Vijayawada as the Inquiry Authority under Rule 20 (2) of A.P.C.S (CC&A) Rules, 1991 to inquire into the charges framed against all the charged officers in the matter. The Chief Engineer, NABARD has been appointed as Presenting Officer under Rule 20 (5)(c) of above said rules to present the case before the Inquiry Authority on behalf of the disciplinary authority in the matter, vide reference 6th read above.

4. In the reference 7th read above, the Engineer-in –Chief, PR and Inquiry Authority has furnished inquiry report dt: 24.03.2021 wherein the Inquiry Authority among others, has held that as per re-inspection report of the Executive Engineer, Vig. & QC, Srikakulam dated 18.09.2020 there are no deficiencies and as such no recovery to be made on the above work and held that charge framed against the charged officer **Sri G. Suryanarayana, former MEO/AE, PR, Pathapatnam** is **not held proved**.

5. In the reference 8th read above, , Government, among others, have communicated a copy of the inquiry report to the charged officer **Sri G. Suryanarayana, former MEO/AE, PR, Pathapatnam**, as per Rule 21 (2) of APCS (CC&A) Rules, 1991 for his representation if any on the findings of the Inquiry Officer.

6. In the reference 9th read above, the ENC, PR, AP, Vijayawada has forwarded the representation dt:27.05.2022 of the charged officer **Sri G. Suryanarayana, former MEO/AE, PR, Pathapatnam (retired)** wherein the charged officer has requested to accept the findings of Inquiry Authority and to drop charges against him.

7. Government after careful examination of the matter, have decided and accordingly hereby drop further action against **Sri G. Suryanarayana, former MEO/AE, PR, Pathapatnam (retired)** in the matter.

(Continued on page 3)

7139729/2023/VIG-I-PRR01

8. The Engineer-in-Chief, Panchayat Raj, A.P, Vijayawada shall take necessary action in the matter accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

B.RAJSEKHAR, IAS
SPECIAL CHIEF SECRETARY TO GOVERNMENT

To
The Engineer- in- Chief, Panchayat Raj, Andhra Pradesh, Vijayawada.
Sri G. Suryanarayana, former MEO/AE, PR, Pathapatnam (retired)

Copy to:
The Secretary to VC, A.P. Vigilance Commission, Velagapudi.
The Accountant General, AP, Vijayawada.
The P.R. & R.D (Estt. I) Department.
OSD to Hon'ble Dy.C.M for PR&RD.,
PS to Spl. Chief Secretary to Govt., PR&RD. Dept.,,
SF/SC.

//FORWARDED::BY::ORDER//

SECTION OFFICER